

TESTING LABORATORY

Customer:

Address:

Sample ID: Matrix:

Labnumber:

Flower 23G31161-07

Oreoz

GlasseX

Consulting

Cannabinoid Profile

Extraction

Analysis

Test Conditions: 23°C Extraction Technician, SU

Extraction Technician: SH Analytical Chemist: SH			Date(s) 6/20/2024	Date(s) 6/21/2024
Cannabinoids (HPLC)			Results	
	LOD (mg/g)	%		mg/g
Cannabidivarin (CBDV)	<0.20			
Cannabidiolic Acid (CBD-A)	<0.20			
Cannabigerolic Acid (CBG-A)		0.04		0.4
Cannabigerol (CBG)	<0.20			
Cannabidiol (CBD)	<0.20			
Tetrahydrocannabivarin (THCV)	<0.20			
Cannabinol (CBN)	<0.20		_	
Cannabichromene (CBC)	<0.20			
delta 9-Tetrahydrocannabinol (THC)		0.13		1.3
delta-9-Tetrahydrocannabinolic Acid (THC-A)		29.17		291.7
delta 8-Tetrahydrocannabinol	<0.40			
(6aR,9S)-delta-10-THC	<0.40			
(6aR,9R)-delta-10-THC	<0.40			
Cannabinoids Total		%		mg/g
Max Active THC (delta-9-tetrahydrocannabinol)		26.33		263.31
Max Active CBD		<0.02		0.07
Total Cannabinoids		29.30		293.00

Following USDA guidelines on uncertainty, Altitude Consulting's uncertainty is calculated to be +/- 5% for all cannabinoids using a coverage factor of 2 (95% confidence interval). Measurement uncertainty has not been factored into reported values. Blank results indicate the compound was below the limit of detection.

(mg/g) Cannabinoid 400 300 200 100 0 (6aR,9R)-delta-10-THC (6aR,9S)-delta-10-THC Cannabichromene (CBC) Cannabidiol (CBD) Cannabidiolic Acid (CBD-A) Cannabidivarin (CBDV) delta 9-Tetrahydrocannabinol (THC) delta-9-Tetrahydrocannabinolic Acid (THC-A) Cannabigerol (CBG) Cannabigerolic Acid (CBG-A) Cannabinol (CBN) delta 8-Tetrahydrocannabinol Tetrahydrocannabivarin (THCV)

Gary Brook - Laboratory Director - 6/21/24

Reporting Limits will vary based on sample extraction weight used for the analysis.

The results of this report are based solely on the sample submitted and cannot be reproduced. Decision Rule: Measurement uncertainty is not accounted for in the reported values. Results are based solely on calculated numbers. Altitude Consulting makes no Statements of conformity. Pesticide, metal, and microbial analyses are subcontracted to ISO 17025 laboratories.